

Strawberry Banana

Sample ID: 1910CSALA8981.0065

Strain: Strawberry Banana

Matrix: Plant

Type: Flower - Cured

Sample Size: 8 grams

Batch Size:

Harvested: N/A

Collected: 10/15/2019

Received: 10/15/2019

Completed: 10/24/2019

Batch#:

Client

Anat Group Inc.

Lic. #

7463 Varna Ave.

North Hollywood, CA 91605



Summary

Pass

24.54% Total Cannabinoids	Pass Pesticides	Not Tested Residual Solvents
Not Tested Microbials	Not Tested Mycotoxins	Not Tested Heavy Metals

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
THCa	0.00002	0.0001	22.93	229.26
Δ9-THC	0.00004	0.0001	0.99	9.91
CBGa	0.00002	0.0001	0.40	4.03
CBG	0.00004	0.0001	0.14	1.43
CBDa	0.00002	0.0001	0.05	0.51
CBC	0.00001	0.0001	0.02	0.24
CBD	0.00004	0.0001	ND	ND
CBDV	0.00001	0.0001	ND	ND
CBN	0.00002	0.0001	ND	ND
THCV	0.00004	0.0001	ND	ND
Δ8-THC	0.00004	0.0001	ND	ND
Total			24.54	245.38

21.10%
Total THC
0.04%
Total CBD

Date Tested: 10/17/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

The reported result is based on a sample weight with the applicable moisture content for that sample;

Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
β-Myrcene	0.00012	0.0013	1.53	15.32
α-Pinene	0.00015	0.0013	0.41	4.09
β-Caryophyllene	0.00017	0.0013	0.22	2.18
Ocimene	0.00013	0.0013	0.13	1.31
β-Pinene	0.00034	0.0013	0.11	1.09
δ-Limonene	0.00016	0.0013	0.08	0.82
Linalool	0.00015	0.0013	0.07	0.70
α-Humulene	0.00057	0.0013	0.05	0.49
α-Bisabolol	0.00015	0.0013	0.03	0.30
trans-Nerolidol	0.00058	0.0013	0.02	0.24
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
Total			2.66	26.55

Date Tested: 10/17/2019

13.7%
Moisture

 Moisture Analyzer SOP-103
 Date Tested: 10/16/2019

NT
Water Activity

 Water Activity Meter SOP-102
 -

NT
Foreign Matter

 Visual Inspection SOP-600
 -

 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 10/24/2019



 Anya Engen
 Quality Review
 10/24/2019



 Austin Russell
 COA Review
 10/24/2019

Strawberry Banana

Sample ID: 1910CSALA8981.0065

Strain: Strawberry Banana

Matrix: Plant

Type: Flower - Cured

Sample Size: 8 grams

Batch Size:

Harvested: N/A

Collected: 10/15/2019

Received: 10/15/2019

Completed: 10/24/2019

Batch#:

Client

Anat Group Inc.

Lic. #

7463 Varna Ave.

North Hollywood, CA 91605

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclotrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 10/16/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 10/24/2019

 Anya Engen
 Quality Review
 10/24/2019

 Austin Russell
 COA Review
 10/24/2019